



## Legislation Details (With Text)

**File #:** 2022-407      **Version:** 1      **Name:**  
**Type:** Contract      **Status:** Passed  
**File created:** 9/16/2022      **In control:** Board of Directors  
**On agenda:** 9/28/2022      **Final action:** 9/28/2022  
**Title:** Proposed Amendment No. 4 to Water Service Contract with City of Ecorse  
**Sponsors:** Randal Brown  
**Indexes:** General Counsel  
**Code sections:**  
**Attachments:** 1. Ecorse Water Contract Am 4 2022 Ex B

Date	Ver.	Action By	Action	Result
9/28/2022	1	Board of Directors	Approved	Pass
9/28/2022	1	Legal Committee	Recommended for Approval	Pass

### Proposed Amendment No. 4 to Water Service Contract with City of Ecorse

**Agenda of:** September 28, 2022  
**Item No.:** **2022-407**  
**Amount:** Revenue Contract

**TO:** The Honorable  
Board of Directors  
Great Lakes Water Authority

**FROM:** Suzanne R. Coffey, P.E.  
Chief Executive Officer  
Great Lakes Water Authority

**DATE:** September 28, 2022

**RE: Proposed Amendment No. 4 to Water Service Contract with City of Ecorse**

### MOTION

Upon recommendation of Randal Brown, General Counsel, the Board of Directors ("Board") of the Great Lakes Water Authority ("GLWA"), **authorizes the Chief Executive Officer ("CEO") to execute Amendment No. 4 to the 30-year water service contract with City of Ecorse;** and authorizes the CEO to take such other action as may be necessary to accomplish the intent of this vote.

### **BACKGROUND**

On 8/9/2022, the Ecorse (“Member Partner”) City Council agreed to the terms of Amendment No. 4 (“Amendment”) to its water service contract with GLWA. This Amendment is one of several regularly occurring amendments required by the terms of GLWA’s model 30-year water service contract.

This Amendment incorporates the following changes:

Section 5.06 is deleted. Section 5.06 was known as the “minimum take or pay” clause. Previously, on January 26, 2022, this Honorable Body agreed to the removal of this clause from all member partner contracts because the 60% fixed cost component of the GLWA charge structure eliminates its need.

Exhibit B, attached, is affirmed and/or modified regarding (a) the pressure range at directly metered locations for calendar years 2023 to 2026, (b) the maximum day and peak hour values for calendar years 2023 to 2026, and (c) the projected annual volume for system planning purposes for fiscal years 2024 to 2027.

### **JUSTIFICATION**

Approval of this Amendment provides a mutually beneficial, stable, long-term framework for interactions between GLWA and the Member Partner and incorporates annual system planning volumes, pressures, and maximum day and peak hour values that better reflect future Member Partner usage.

### **BUDGET IMPACT**

The revenues expected to result from this Amendment will be reflected in the FY 2023-2024 schedule of charges.

### **COMMITTEE REVIEW**

This matter is being presented to the Legal Committee for consideration at its meeting on September 28, 2022. The Legal Committee unanimously recommended that the GLWA Board adopt the resolution as presented.

### **SHARED SERVICES IMPACT**

This item does not impact the shared services agreement between GLWA and DWSD.