Great Lakes Water Authority



Meeting Minutes - Draft

Operations and Resources Committee

Wednesday, March 14, 201		8 11:00 AM	Water Board Building 5th Floor	
1.	Call To Order			
		Chairman Hendrix called the meeting to order at 11:03 a.m.		
2.	Quorum Call			
	Present:	2 - Chairman Freman Hendrix, and Director Brian Baker		
	Excused:	1 - Director Craig Hupy		
3.	3. Approval of Agenda			
		Chairman Hendrix requested a Motion to approve the Agend	a.	
		Motion By: Brian Baker Support: Freman Hendrix Action: Approved The motion carried by a unanimous vote.		
4.	4. Approval of Minutes			
А.	<u>2018-603</u>	January 10, 2018 Operations and Resources Comm Minutes.Draft	nittee Meeting	
	<u>Attachments:</u>	January 10, 2018 Operations & Resources Committee Meeting Minutes.	-	
		Chairman Hendrix requested a Motion to approve the Januar Operations and Resources Committee Meeting Minutes.	ry 10, 2018	
		Motion By: Brian Baker Support By: Freman Hendrix Action: Approved		
5	Public Comment	The motion carried by a unanimous vote.		
•1		None		
6.	Old Business			

None

7. New Business

A. <u>2018-638</u> GLWA-CON-089A Low Voltage Wiring

Indexes: Information Technology

<u>Attachments:</u> Procurement Board Summary (Final).docx

Operations Resource Checklist (Final).docx

Bid Tab GLWA-CON-089A.pdf

GLWA-CON-089A-Non Respondents.xlsx

Motion By: Brian Baker Support By: Freman Hendrix Action: Recommended for Approval to the Board of Directors Agenda of March 28, 2018 The motion carried by a unanimous vote.

- B. <u>2018-633</u> GLWA-CS-055 Proposed Change Order No. 1 Professional Engineering Services for Yard Piping, Valves, and Venturi Meters at Water Works Park
 - Indexes: Water Operations

Attachments: GLWA-CON-055 Procurement Board Summary

GLWA-CON-055 Procurment Checklist

Motion By: Brian Baker Support By: Freman Hendrix Action: Recommended for Approval to the Board of Directors Agenda of March 28, 2018 The motion carried by a unanimous vote.

C. <u>2018-634</u> GLWA-DB-226

Repair and Rehabilitation of Detroit River Interceptor (DRI) from Alter Road to Water Resource Recovery Facility (WRRF)

Indexes: Water Operations

Attachments: GLWA-DB-226 Procurement Board Summary

GLWA-DB-226 Cost Tabulation

GLWA-DB-226 Gap Analysis Engineer Estimate to Jay Dee Proposal

GLWA-DB-226 Procurement Checklist

Motion By: Brian Baker Support By: Freman Hendrix Action: Recommended for Approval to the Board of Directors Workshop Meeting Agenda of March 14, 2018 The motion carried by a unanimous vote.

D. 2018-635 GLWA-DB-093 Design-Build Roofing Repair and Replacement for the 1930's Filter Building of the Springwells Water Treatment Plant

Indexes: Water Operations

Attachments: GLWA-DB-093 Procurement Board Summary

GLWA-DB-093 Non Respondents Survey

GLWA-DB-093 Detailed Cost Breakdown

GLWA-DB-093 Procurement Checklist

Motion By: Freman Hendrix Support By: Brian Baker Action: Recommended for Approval to the Board of Directors Agenda of March 28, 2018 The motion carried by a unanimous vote.

E. <u>2018-636</u> GLWA-CON-225

Orion Pumping Station Improvements

Indexes: Water Operations

Attachments: GLWA-CON-225 Procurement Board Summary GLWA-CON-225 Bid Tabulation

GLWA-CON-225 Procurement Checklist

Motion By: Brian Baker Support By: Freman Hendrix Action: Recommended for Approval to the Board of Directors Agenda of March 28, 2018 The motion carried by a unanimous vote.

Director Baker made the Motion subject to receiving the information on the allowance and how that impacts the budget.

F. 2018-637 GLWA-CON-253 Springwells Water Treatment Plant Reservoir Fill Line Improvements Indexes: Water Operations Attachments: GLWA-CON-253 Procurement Board Summary

GLWA-CON-253 Bid Tabulation

GLWA-CON-253 Procurement Checklist

Motion By: Brian Baker Support By: Freman Hendrix Action: Recommended for Approval to the Board of Directors Agenda of March 28, 2018 The motion carried by a unanimous vote.

Director Baker indicated that he would like to see the potential budget impact savings for FY 2019 Charges.

G. <u>2018-642</u> GLWA-CS-198

Asset Management Planning

Indexes: Planning Services

 Attachments:
 Operations and Resource Checklist

 Procurement Board Summary-RFP
 GLWA-CS-198 Evaluation Score Sheet v2

Motion By: Freman Hendrix Support By: Brian Baker Action: Recommended for Approval to the Board of Directors Agenda of March 28, 2018 The motion carried by a unanimous vote.

Great Lakes Water Authority

H. 2018-645 GLWA-CON-234 Conner Creek CSO Basin Rehabilitation Vendor: Weiss Construction Co., LLC

Indexes: Wastewater Operations

 Attachments:
 GLWA-CON-234-Procurement Board Summary-RFB src minor edits

 3-12-18
 GLWA-CON-234 Ops.check.draft

Vendor Response - GLWA-CON-234

GLWA-CON-234 RFB Bid Tab

Motion By: Freman Hendrix Support By: Brian Baker Action: Recommended for Approval to the Board of Directors Agenda of March 28, 2018 The motion carried by a unanimous vote.

Director Baker supported the motion, subject to include impact on the FY 2019 Budget.

I. <u>2018-578</u> RFB 1113 Sulfur Dioxide - PVS Technologies, Inc.

Indexes: Wastewater Operations

Attachments: RFB 1113 Sulfur Dioxide no response vendor March 9

Sulfur Dioxide Market Analysis 28March18 NB FINAL

Motion By: Brian Baker Support By: Freman Hendrix Action: Recommended for Approval to the Board of Directors Agenda of March 28, 2018 The motion carried by a unanimous vote.

J. <u>2018-579</u> RFB 1118 Ferric Chloride - Kemira Water Solutions, Inc.

Indexes: Wastewater Operations

Attachments: Ferric Chloride Market Analysis_28March18 MK JG FINAL March 9

Ferric Chloride No Response Follow Up 28March18 MK JG FINAL March 9 Ferric Chloride Procurement Checklist 28March18 MK JG FINAL March 9

Motion By: Freman Hendrix Support By: Brian Baker Action: Recommended for Approval to the Board of Directors Agenda of March 28, 2018 The motion carried by a unanimous vote.

K. <u>2018-641</u> RFB 1109 Chiller Replacement - De-Cal, Inc.

Indexes: Wastewater Operations

Attachments: Chiller Replacement No Response Follow Up_28March18 rev01 JG Chiller Replacement Procurement Checklist_28March18

> Motion By: Freman Hendrix Support By: Brian Baker Action: Recommended for Approval to the Board of Directors Workshop Meeting Agenda of March 14, 2018 The motion carried by a unanimous vote.

L. <u>2018-643</u> RFB 1123 Sodium Hypochlorite - PVS Nolwood Chemicals

Indexes: Wastewater Operations

Attachments: Sodium Hypochlorite Market Analysis_28March18 JG FINAL March 9

Sodium Hypochlorite No Response Follow Up 28March18 JG FINAL March 9 Sodium Hypochlorite Procurement Checklist 28March18 JC FINAL March 9

Motion By: Brian Baker Support By: Freman Hendrix Action: Recommended for Approval to the Board of Directors Agenda of March 28, 2018 The motion carried by a unanimous vote.

M. <u>2018-644</u> RFB 1124 Hauling of Biosolids to Disposal Sites Custom Ecology of Ohio, Inc.

Indexes: Wastewater Operations

<u>Attachments:</u> Biosolids Hauling No Response Follow Up_28March18 JG FINAL March 9 Biosolids Hauling Pricing Tabulation_28March18 JG FINAL March 9

> Biosolids Hauling Procurement Checklist 28March18 JG FINAL March 9

> Motion By: Freman Hendrix Support By: Brian Baker Action: Recommended for Approval to the Board of Directors Agenda of March 28, 2018 The motion carried by a unanimous vote.

Note: Chairman Hendrix called a short recess at 12:25 p.m., and called the meeting back to order at 12:28 p.m.

8. Reports

A . <u>2018-640</u>	640 Procurement Group Process Improvements - Implementation of	
	Bonfire	
Indexes:	Finance	
Attachments:	Memorandum Procurement - Bonfire OR Final	
	Bonfire Presentation	
	Motion By: Brian Baker Support By: Freman Hendrix Action: Received and Filed The motion carried by a unanimous vote.	
9. Look Ahead		
	The next Operations and Resources Committee Meeting is scheduled for Wednesday, April 11, 2018 at 11:00 a.m.	
10. Information		
	None	
11. Other Matters		
	None	
12. Adjournment		
	Chairman Hendrix requested a Motion to Adjourn.	
	Motion By: Brian Baker	
	Support: Freman Hendrix Action: Approved	
	The motion carried unanimously.	

There being no further business, the meeting was adjourned at 12:34 p.m.